

NATURA SYSTEM DATA SHEET

Rev02 del 09/05/17

SOLUDONI DEPULIZIA PER INTERNI

SOLUZIONI DI PULIZIA PER PANNELLI SOLARI E FOTOVOLTAICI SOLLIZION DI PUDIZIA PER ESTERNI

50LU2 DI PUL PER T

SOLUZIONI DI PUCIZIA PER TRASPORTI



1 MAIN SYSTEM'S COMPONENTS

CHASSIS	Equipped with two safety compartments (protected by lock) containing the dosing pump group and the electrical panel
TANK of dirty water drainage	Tank where you can drain wastewater from manual washing or scrubbing
FILTER NET	net mounted on the dirty water drainage tank, that filters the solid and impurities present in the waste water
TRANSFER PUMP AT IMMERSION	Pump that transports the waste water from the tank to the separation silo
SEPARATION SILO	Silos where separation of waste waters is performed in clarified waters and waste sludge
TRANSFER PUMP CLARIFIED WATER	Pump that transfers the clarified water from the separation silos to the clear water tank
CLEAR WATER TANK	Tank of clear water storage to be used for the loading of scrubbers
TANK SLUDGE WASTE	Storage tank for sludge discharged from separation silos
DOSING PUMP (Tot 3 Pump)	Dosing pump for the dosage of each of the three chemicals that are part of the system. A dosing pump is associated with each product
ELECTRIC PANEL	Complet eletric panel to control al the system
LED LAMP	Lamp for visual control of the clarified water level / waste sludge in the separation silos
SEPARATING CHEMICAL PRODUCT	Additive for clarified water
CHEMICAL SANITIZER	Saniting additive for clarified water

VIP CLEAN s.r.l. www.vipclean.it info@vipclean.it SEDE DI TORINO Via Goretta 96/A 10072 Mappano di Caselle (TO) SEDE DI ROMA Via Casilina 1116 D0169 Roma Tel +39 011.2207783 Fax +39 011.2207927 P. IVA 093169200 17

Page - 1 - 3



NATURA SYSTEM DATA SHEET

Rev02 del 09/05/17

SOLUDONI DI PULIZIA PER INTERNI

SOLLIZIONI DI PULIZIA PER ESTERNI

SOLUZIONI DI PULIZIA PER PANNELLI SOLARI E FOTOVOLTAICI

SOLUZIONI DI PUCIZIA PER TRASPORTI

2 **SPECIFICATIONS**

POWER	2000 W
TENSION	230Vac +/-5%
WEIGHT EMPTY	100 kg
DIRTY WATER TANK	Capacity 250 I
FILTER NET	Filter capacity 2mm
TRANSFER PUMP AT IMMERSION	Max capacity 10000l/h
SEPARATION SILO	Capacity 330 I
TRANSFER PUMP CLARIFIED WATER	Max capacity 4500 I/h
CLEAR WATER TANK	Capacity 325 I
TANK SLUDGE WASTE	Capacity 250 I

3 CHEMICALS PRODUCTS FOR DOSING PUMP

Si riporta qui di seguito un prospetto riepilogativo degli unici prodotti ammessi ad essere utilizzati nell'impianto.

SEPARATING CHEMICAL PRODUCT FOR DOSING PUMP X:

XPP.N5505 Additive for clarified water

CHEMICAL SANITIZER FOR DOSING PUMP Y:

XPP.N4821	Saniting additive for clarified water				
DETERGENTS – DOSING PUMP Z:					
XPP.N4215	Neutral cleaner				

Neutral cleaner



VIP CLEAN s.r.l. www.vipclean.it infoldvipclean.it

SEDE DI TORINO Via Goretta 96/A 10072 Mappano di Caselle (TO) SEDE DI ROMA Via Casilina 1116 00169 Roma

Tel +39 011.2207783 Fax +39 011.2207927 P. IVA 093169200 17





NATURA SYSTEM DATA SHEET

Rev02 del 09/05/17

SOLUDONI DE PULIZIA PER INTERNI SOLLIZION DI PULIZIA PER ESTERNI

SOLUDIONI DI PULIZIA PER PANNELLI SOLARI E FOTOVOLTAICI

SOLUZIONI DI PUCIZIA PER TRASPORTI

4 DIMENSIONS

TECHNICAL FEATURES	LENGHT [cm]	HEIGHT [cm]	WIDTH [cm]
Chassis complete with silo and tank	200	250	100
Dirty water tank	125	30	85

Dimension in standard system configuration .

(Drainage partially incorporated in the chassis and enclosed doors open front cupboards).

TECHNICAL FEATURES	LENGHT [cm]	HEIGHT [cm]	WIDTH [cm]
Chassis complete with 2 silos and partly built in tank on the long front side	250	250	150
Chassis complete with 2 silos and partly built in tank on the short side	200	250	180

WARNING: It remains the responsibility of the client to evaluate additional space resulting from the maneuvering spaces of the washer machines in his possession.

